

# INPS TRANSIT Solutions

A DIVISION OF INPS GROUP



Our LLEPM products are manufactured using the highest quality materials in terms of durability and safety. They are suitable for new or existing rubber, carpet floor coverings and walls.



FFTRACK 2-2



FFTRACK 8



FFTRACK 46




**INTERNATIONAL**  
NAME PLATE SUPPLIES LTD.

## LLEPM - Wall


### FFTRACK 46

6 inch length -  
Photoluminescent polycarbonate  
lens, injection molded  
Wall/seat application



### FFTRACK 2-2

Aluminum extrusion with  
FFTRACK 8  
End cap FTRACK 2-2 CAP  
Wall application



## LLEPM - Floor



### FFTRACK 8, 20

Photoluminescent strips  
Adhesive backing  
FFTRACK 8 compatible with 2 ml flooring  
FFTRACK 20 compatible with 3.5 ml flooring





### FFTRACK 51

Photoluminescent extrusion includes toothed  
system for mechanical fastening  
FFTRACK 4 (Aluminum) or 4P  
(Polycarbonate) base is secured to the floor  
Industrial carpet application





### FFTRACK 5

Narrower version of FFTRACK 51  
FFTRACK 4 (Aluminum) or 4P  
(Polycarbonate) base is secured to the floor  
Industrial carpet application




### FFTRACK 53

Modified version of FFTRACK 5  
FFTRACK 4 (Aluminum) or 4P  
(Polycarbonate) base is secured to the floor  
Rubber flooring/carpet application



### FFTRACK 37



Aluminum extrusion with FFTRACK 8  
Industrial carpet application



# LLEPM - Floor



## FFTRACK 59

Aluminum extrusion with FFTRACK 8  
Accommodates 3.5 ml rubber flooring  
Accommodates industrial carpet





## FFTRACK 71

Polycarbonate extrusion with FFTRACK 8  
Accommodates 3.5 ml rubber flooring  
Accommodates industrial carpet



## FFTRACK 50

Extruded holder for FFTRACK 8  
FFTRACK 4 (Aluminum) or 4P (Polycarbonate)  
Base secured to the floor  
Industrial carpet/floor application




## FFTRACK 18

Extruded holder for HPPL glow FFTRACK 17  
Toothed system for mechanical fastening  
FFTRACK 30 base is secured to the floor  
Industrial carpet application



## FFTRACK 32

Extruded channel double wing,  
Photoluminescent FFTRACK 33 with legs  
FFTRACK 29 LED, LED strip under  
FFTRACK 34  
Industrial carpet application




Black kydex end cap FFTRACK 35 (not shown)




## FFTRACK 16

Extruded holder for Photoluminescent FFTRACK 17 that includes an anchor  
FFTRACK 44 base is secured to the floor  
Industrial carpet application (beside wall/seat)



# LLEPM

(Low-Location Exit Path Markings)



FFTRACK 50



FFTRACK 59



FFTRACK 16

INPS has worked closely with many mass transit car builders and transit authorities to design, engineer and manufacture LLEPM systems that work both functionally and financially.

## Lighting the way to safety

LLEPM is mandatory on all passenger rolling stock related by the Federal Railroad Administration (FRA) and has become mandatory on all equipment operating under the self-regulating guidelines of American Public Transportation Association (APTA). It is part of the Emergency Preparedness Plans of each transit agency. To minimize cost and increase ease of installation, INPS has developed turnkey solutions that include signage and low-level emergency path illumination products.

## We manufacture and supply:

- Glow-in-the-dark safety components
- Emergency exit path markings (exceeds all APTA regulations)
- LED-charged emergency exit path markings
- Complete marking kits for all flooring types
- Transition trims for all flooring types
- Extruded floor mouldings

For more information contact:

**Michelle Humann De Ruiter**

Marketing

Email: [mderuiter@inps.net](mailto:mderuiter@inps.net)

Tel: 1.519.455.7647 | 1.800.565.3509

Cell: 1.519.709.4137

